

## Refine Search

### Search Results -

Terms	Documents
L12 and (707/200).ccls.	0

**Database:**

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

**Search:**

(program near2 address) and (data near1  
 size) and (convert\$4 near2 format)





### Search History

**DATE: Thursday, December 15, 2005**
[Printable Copy](#)
[Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L17</u>	L12 and 707/200.ccls.	0	<u>L17</u>
<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L16</u>	L12 and 707/200.ccls.	0	<u>L16</u>
<u>L15</u>	L12 and 707/104.1.ccls.	0	<u>L15</u>
<u>L14</u>	L12 and 707/101.ccls.	1	<u>L14</u>
<u>L13</u>	L12 and 707/10.ccls.	0	<u>L13</u>
<u>L12</u>	(program near2 address) and (data near1 size) and (convert\$4 near2 format)	58	<u>L12</u>
<u>L11</u>	L10 and ((size with data) and destination and source)	1	<u>L11</u>
<u>L10</u>	L9 and (retriev\$4 with table)	2	<u>L10</u>

<u>L9</u>	L5 and (database with format with id)	7	<u>L9</u>
<u>L8</u>	L6 and (id with logical with unit)	0	<u>L8</u>
<u>L7</u>	L6 and (database with format with id)	0	<u>L7</u>
<u>L6</u>	L5 and (skeleton with program)	12	<u>L6</u>
<u>L5</u>	transform and data and format.ab.	1838	<u>L5</u>
<u>L4</u>	L1 and 707/104.1.ccls.	1	<u>L4</u>
<u>L3</u>	L1 and 707/101.ccls.	7	<u>L3</u>
<u>L2</u>	L1 and 707/10.ccls.	2	<u>L2</u>
<u>L1</u>	program with data with format with transform\$5	130	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L12 and (707/200).ccls.	0

**Database:**

US Pre-Grant Publication Full-Text Database  
**US Patents Full-Text Database**  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

**Search:**

L16





### Search History

**DATE: Thursday, December 15, 2005**
[Printable Copy](#)
[Create Case](#)

**Set**  
**Name**   **Query**  
 side by  
 side

**Hit**  
**Count**   **Set**  
                  **Name**  
                  result set

*DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR*

<u>L16</u>	L12 and 707/200.ccls.	0	<u>L16</u>
<u>L15</u>	L12 and 707/104.1.ccls.	0	<u>L15</u>
<u>L14</u>	L12 and 707/101.ccls.	1	<u>L14</u>
<u>L13</u>	L12 and 707/10.ccls.	0	<u>L13</u>
<u>L12</u>	(program near2 address) and (data near1 size) and (convert\$4 near2 format)	58	<u>L12</u>
<u>L11</u>	L10 and ((size with data) and destination and source)	1	<u>L11</u>
<u>L10</u>	L9 and (retriev\$4 with table)	2	<u>L10</u>
<u>L9</u>	L5 and (database with format with id)	7	<u>L9</u>
<u>L8</u>	L6 and (id with logical with unit)	0	<u>L8</u>
<u>L7</u>	L6 and (database with format with id)	0	<u>L7</u>

<u>L6</u>	L5 and (skeleton with program)	12	<u>L6</u>
<u>L5</u>	transform and data and format.ab.	1838	<u>L5</u>
<u>L4</u>	L1 and 707/104.1.ccls.	1	<u>L4</u>
<u>L3</u>	L1 and 707/101.ccls.	7	<u>L3</u>
<u>L2</u>	L1 and 707/10.ccls.	2	<u>L2</u>
<u>L1</u>	program with data with format with transform\$5	130	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L12 and (707/104.1).ccls.	0

**Database:**

US Pre-Grant Publication Full-Text Database  
**US Patents Full-Text Database**  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

**Search:**

L15  

**Refine Search**

**Recall Text** 

**Clear**

**Interrupt**

### Search History

**DATE: Thursday, December 15, 2005**

[Printable Copy](#)

[Create Case](#)

**Set  
Name Query**  
 side by  
 side

**Hit  
Count Set  
Name  
result set**

*DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR*

<u>L15</u>	L12 and 707/104.1.ccls.	0	<u>L15</u>
<u>L14</u>	L12 and 707/101.ccls.	1	<u>L14</u>
<u>L13</u>	L12 and 707/10.ccls.	0	<u>L13</u>
<u>L12</u>	(program near2 address) and (data near1 size) and (convert\$4 near2 format)	58	<u>L12</u>
<u>L11</u>	L10 and ((size with data) and destination and source)	1	<u>L11</u>
<u>L10</u>	L9 and (retriev\$4 with table)	2	<u>L10</u>
<u>L9</u>	L5 and (database with format with id)	7	<u>L9</u>
<u>L8</u>	L6 and (id with logical with unit)	0	<u>L8</u>
<u>L7</u>	L6 and (database with format with id)	0	<u>L7</u>
<u>L6</u>	L5 and (skeleton with program)	12	<u>L6</u>

<u>L5</u>	transform and data and format.ab.	1838	<u>L5</u>
<u>L4</u>	L1 and 707/104.1.ccls.	1	<u>L4</u>
<u>L3</u>	L1 and 707/101.ccls.	7	<u>L3</u>
<u>L2</u>	L1 and 707/10.ccls.	2	<u>L2</u>
<u>L1</u>	program with data with format with transform\$5	130	<u>L1</u>

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

**convert data format skeleton program location volume disk size source destination**

 Found **73,494** of  
**167,655**

 Sort results  
by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

 Display  
results


[Search Tips](#)
☐ Open results in a new  
window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

Full text available: pdf(4.21 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

### 2 KMS: a distributed hypermedia system for managing knowledge in organizations



Robert M. Akscyn, Donald L. McCracken, Elise A. Yoder

 July 1988 **Communications of the ACM**, Volume 31 Issue 7

Publisher: ACM Press

Full text available: pdf(1.67 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Developers of hypermedia systems face many design issues. The design for KMS, a large-scale hypermedia system for collaborative work, seeks improved user productivity through simplicity of the conceptual data model.

### 3 Distributed file systems: concepts and examples



Eliezer Levy, Abraham Silberschatz

 December 1990 **ACM Computing Surveys (CSUR)**, Volume 22 Issue 4

Publisher: ACM Press

Full text available: pdf(5.33 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The purpose of a distributed file system (DFS) is to allow users of physically distributed computers to share data and storage resources by using a common file system. A typical configuration for a DFS is a collection of workstations and mainframes connected by a local area network (LAN). A DFS is implemented as part of the operating system of each of the connected computers. This paper establishes a viewpoint that emphasizes the dispersed structure and decentralization of both data and con ...

#### 4 Structure of mathematical programming systems



WM. Orchard Hays

January 1968 **Proceedings of the 1968 23rd ACM national conference**

**Publisher:** ACM Press

Full text available: [pdf\(1.47 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

A mathematical programming system (MPS), as now implemented on third generation computers, constitutes four separate subject areas: 1. Algorithmic and procedural capabilities 2. Problem formulation and solution techniques 3. Programming languages 4. System structure and use Each of these areas involves extensive considerations and we can not do justice to any of them in the time available. Since problem formulation and solution technique ...

#### 5 A text-compression-based method for code size minimization in embedded systems



Stan Liao, Srinivas Devadas, Kurt Keutzer

January 1999 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**, Volume 4 Issue 1

**Publisher:** ACM Press

Full text available: [pdf\(184.16 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We address the problem of code-size minimization in VLSI systems with embedded DSP processors. Reducing code size reduces the production cost of embedded systemswe use data-compression methods to develop code-size minimization strategies. In our framework, the compressed program consists of a skeleton and a dictionary. We show that the dictionary can be computed by solving a set-covering problem derived from the original program. To execute the compressed code, we describe two me ...

**Keywords:** code size optimization, compression

#### 6 Efficient Java RMI for parallel programming



November 2001 **ACM Transactions on Programming Languages and Systems**

**(TOPLAS)**, Volume 23 Issue 6 .

**Publisher:** ACM Press

Full text available: [pdf\(352.63 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Java offers interesting opportunities for parallel computing. In particular, Java Remote Method Invocation (RMI) provides a flexible kind of remote procedure call (RPC) that supports polymorphism. Sun's RMI implementation achieves this kind of flexibility at the cost of a major runtime overhead. The goal of this article is to show that RMI can be implemented efficiently, while still supporting polymorphism and allowing interoperability with Java Virtual Machines (JVMs). We study a new approach f ...

**Keywords:** Communication, performance, remote method invocation

#### 7 Geographic Data Processing



George Nagy, Sharad Wagle

June 1979 **ACM Computing Surveys (CSUR)**, Volume 11 Issue 2

**Publisher:** ACM Press

Full text available: [pdf\(4.20 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



8 Hancock: A language for analyzing transactional data streams

Corinna Cortes, Kathleen Fisher, Daryl Pregibon, Anne Rogers, Frederick Smith

March 2004 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,

Volume 26 Issue 2

**Publisher:** ACM PressFull text available: pdf(217.55 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Massive transaction streams present a number of opportunities for data mining techniques. The transactions in such streams might represent calls on a telephone network, commercial credit card purchases, stock market trades, or HTTP requests to a web server. While historically such data have been collected for billing or security purposes, they are now being used to discover how the transactors, for example, credit-card numbers or IP addresses, use the associated services. Over the past 5 years, w ...

**Keywords:** Domain-specific languages, data mining, statistical models

9 On randomization in sequential and distributed algorithms

Rajiv Gupta, Scott A. Smolka, Shaji Bhaskar

March 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 1**Publisher:** ACM PressFull text available: pdf(8.01 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Probabilistic, or randomized, algorithms are fast becoming as commonplace as conventional deterministic algorithms. This survey presents five techniques that have been widely used in the design of randomized algorithms. These techniques are illustrated using 12 randomized algorithms—both sequential and distributed—that span a wide range of applications, including: primality testing (a classical problem in number theory), interactive probabilistic proof s ...

**Keywords:** Byzantine agreement, CSP, analysis of algorithms, computational complexity, dining philosophers problem, distributed algorithms, graph isomorphism, hashing, interactive probabilistic proof systems, leader election, message routing, nearest-neighbors problem, perfect hashing, primality testing, probabilistic techniques, randomized or probabilistic algorithms, randomized quicksort, sequential algorithms, transitive tournaments, universal hashing

10 AdJava: automatic distribution of Java applications

Mohammad M. Fuad, Michael J. Oudshoorn

January 2002 **Australian Computer Science Communications , Proceedings of the twenty-fifth Australasian conference on Computer science - Volume 4 CRPITS '02**, Volume 24 Issue 1**Publisher:** Australian Computer Society, Inc. , IEEE Computer Society PressFull text available: pdf(1.27 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The majority of the world's computing resources remains idle most of the time. By using this resource pool, an individual computation may be completed in a fraction of time required to run the same computation on a single machine. However, distributing a program over a number of machines proves to be a tedious and difficult job. This paper introduces a system, called AdJava, which harnesses the computing power of these under-utilized heterogeneous computers by automatically distributing the user ...

**Keywords:** distributed programming, software agents.

11 Fortran 8X draft

Loren P. Meissner

December 1989 **ACM SIGPLAN Fortran Forum**, Volume 8 Issue 4**Publisher:** ACM PressFull text available: [pdf\(21.36 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

**Standard Programming Language Fortran.** This standard specifies the form and establishes the interpretation of programs expressed in the Fortran language. It consists of the specification of the language Fortran. No subsets are specified in this standard. The previous standard, commonly known as "FORTRAN 77", is entirely contained within this standard, known as "Fortran 8x". Therefore, any standard-conforming FORTRAN 77 program is standard conforming under this standard. New features can b ...

12 Estimating file access time of floppy disks

M. A. Pechura, J. D. Schoeffler

October 1983 **Communications of the ACM**, Volume 26 Issue 10**Publisher:** ACM PressFull text available: [pdf\(1.13 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Small computers often use floppy disks for storage. Since such disks are significantly slower than hard disks, the response time of a given application program is due predominantly to the time required to access data in files. Access time is dependent on three factors: hardware (disk drive and interface), the operating system in use, and the patterns of file access of application programs. A simple-to-use method of predicting access times with good accuracy is presented. The method ...

13 Computing curricula 2001September 2001 **Journal on Educational Resources in Computing (JERIC)****Publisher:** ACM PressFull text available: [pdf\(613.63 KB\)](#) [html\(2.78 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)14 Notable computer networks

John S. Quarterman, Josiah C. Hoskins

October 1986 **Communications of the ACM**, Volume 29 Issue 10**Publisher:** ACM PressFull text available: [pdf\(4.66 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Computer networks are becoming more numerous and more diverse. Collectively, they constitute a worldwide metanetwork.

15 Computer Communication Networks: Approaches, Objectives, and Performance Considerations

Stephen R. Kimbleton, G. Michael Schneider

September 1975 **ACM Computing Surveys (CSUR)**, Volume 7 Issue 3**Publisher:** ACM PressFull text available: [pdf\(3.99 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)16 A structural view of the Cedar programming environment

Daniel C. Swinehart, Polle T. Zellweger, Richard J. Beach, Robert B. Hagmann



August 1986 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,

Volume 8 Issue 4

**Publisher:** ACM Press

Full text available: pdf(6.32 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents an overview of the Cedar programming environment, focusing on its overall structure—that is, the major components of Cedar and the way they are organized. Cedar supports the development of programs written in a single programming language, also called Cedar. Its primary purpose is to increase the productivity of programmers whose activities include experimental programming and the development of prototype software systems for a high-performance personal computer. T ...

## 17 Implementation and Evaluation of a Scalable Application-Level Checkpoint-Recovery Scheme for MPI Programs



Martin Schulz, Greg Bronevetsky, Rohit Fernandes, Daniel Marques, Keshav Pingali, Paul Stodghill

November 2004 **Proceedings of the 2004 ACM/IEEE conference on Supercomputing**

**Publisher:** IEEE Computer Society

Full text available: pdf(183.27 KB)

Additional Information: [full citation](#), [abstract](#)

The running times of many computational science applications are much longer than the mean-time-to-failure of current high-performance computing platforms. To run to completion, such applications must tolerate hardware failures. Checkpoint-and-restart (CPR) is the most commonly used scheme for accomplishing this - the state of the computation is saved periodically on stable storage, and when a hardware failure is detected, the computation is restarted from the most recently saved state. Most aut ...

## 18 The Quadtree and Related Hierarchical Data Structures



Hanan Samet

June 1984 **ACM Computing Surveys (CSUR)**, Volume 16 Issue 2

**Publisher:** ACM Press

Full text available: pdf(4.87 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

## 19 Improving the reliability of commodity operating systems



Michael M. Swift, Brian N. Bershad, Henry M. Levy

February 2005 **ACM Transactions on Computer Systems (TOCS)**, Volume 23 Issue 1

**Publisher:** ACM Press

Full text available: pdf(459.98 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Despite decades of research in extensible operating system technology, extensions such as device drivers remain a significant cause of system failures. In Windows XP, for example, drivers account for 85&percent; of recently reported failures. This article describes Nooks, a *reliability subsystem* that seeks to greatly enhance operating system (OS) reliability by isolating the OS from driver failures. The Nooks approach is practical: rather than guaranteeing complete fault tolerance through ...

**Keywords:** I/O, Recovery, device drivers, protection, virtual memory

## 20 Data base directions: the next steps



John L. Berg

November 1976 **ACM SIGMOD Record**, **ACM SIGMIS Database**, Volume 8, 8 Issue 4, 2

**Publisher:** ACM Press

Full text available:  pdf(9.95 MB)      Additional Information: [full citation](#), [abstract](#)

What information about data base technology does a manager need to make prudent decisions about using this new technology? To provide this information the National Bureau of Standards and the Association for Computing Machinery established a workshop of approximately 80 experts in five major subject areas. The five subject areas were auditing, evolving technology, government regulations, standards, and user experience. Each area prepared a report contained in these proceedings. The proceedings p ...

**Keywords:** DBMS, auditing, cost/benefit analysis, data base, data base management, government regulation, management objectives, privacy, security, standards, technology assessment, user experience

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((convert data format skeleton program location volume disk size source destination)&lt;in&gt;metada..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

 ☐ Check to search only within this results set

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Display Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by  
[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE



Welcome United States Patent and Trademark Office

[Home](#) | [Login](#) | [Logout](#) | [Access Info](#)

Advanced Search

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	In All Fields	
AND <input type="text"/>	In All Fields	
AND <input type="text"/>	In All Fields	

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

convert data format program location volume disk size source destination	
--	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proce
- ☒ IEE Conference Procee
- ☒ IEEE Standards

## » Other Resources (Available for F

- ☒ IEEE Books

## » Select date range

- ☐ Search latest content update
- ☒ From year  to

## » Display Format

- ☒ Citation
- ☐ Citation

## » Organize results

- Maximum
- Display  result
- Sort by
- In

[Help](#) [Contact U](#)

© Copy

Indexed by  
 Inspect

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((convert data format program location volume disk size source destination)&lt;in&gt;metadata)"

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

 [»](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)<sup>New!</sup> [more »](#)

convert data format skeleton program location

**Search**

[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 10 of about 71,100 for **convert data format skeleton program location volume disk size so**

### Software Download: Consulting

Publisher: **Programs** Unlimited, Inc. | **Date:** 01-12-2002 | **Size:** 1 KB ... Conversions+ Features **Converts** linear, area, temperature, weight, liquid, **volume**, ...  
[www.sharewareconnection.com/titles/consulting.htm](http://www.sharewareconnection.com/titles/consulting.htm) - 96k - [Cached](#) - [Similar pages](#)

### Programming

6/7/00, **PROGRAM** TITLE, PLATFORM, FILENAME, **SIZE**. Chyfo 1.3.1 (shareware), Win 95/98/NT ... This file has **format** of the Oracle SQL Loader control file. ...  
[www.window95.com/windows/programming.html](http://www.window95.com/windows/programming.html) - 48k - [Cached](#) - [Similar pages](#)

### L/T/L/400 overview

Pickup manifest entry **program** creates **skeleton** freight bills (including routing), ... We can provide guidance and assistance in **converting data** from other ...  
[www.ltl400.com/ltl400-overview.html](http://www.ltl400.com/ltl400-overview.html) - 36k - [Cached](#) - [Similar pages](#)

### Computer Terms

binary file transfer:, A **data** transfer in which files aren't **converted**. ... is used to address packets of **data** from ultimate **source** and **destination** nodes ...  
[www.lcc.edu/tutorial/study\\_tips/computer\\_terms.htm](http://www.lcc.edu/tutorial/study_tips/computer_terms.htm) - 57k - [Cached](#) - [Similar pages](#)

### [PDF] 9. Utilities

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
The **program** will run in the background, and can clone a **volume** in a matter of ... orientation and **size**, and how to view the **converted** file. ...  
[www.futurocity.com/hs/utilities.pdf](http://www.futurocity.com/hs/utilities.pdf) - [Similar pages](#)

### Glossary

It has one single argument whose type is the **source data** type; ... QMF for Windows **converts data** from one CCSID to another when communicating with a ...  
[publib.boulder.ibm.com/infocenter/dzichelp/v2r2/topic/com.ibm.dzic.doc.gloss/icglosoc.htm](http://publib.boulder.ibm.com/infocenter/dzichelp/v2r2/topic/com.ibm.dzic.doc.gloss/icglosoc.htm) - 57k - [Cached](#) - [Similar pages](#)

### Network Modeling and Simulation Proposal - CAIDA : PROJECTS : nms

... of autonomous systems (ISPs) transited from the **source** to **destination** node. ... We added a new type of object to Otter's **data file format** for this ...  
[www.caida.org/projects/nms/proposal.xml](http://www.caida.org/projects/nms/proposal.xml) - 99k - [Cached](#) - [Similar pages](#)

### UNIX Commands List

Used to **convert** an Adobe font metric file to TeX font metric **format**. ... Will create **disk** accounting **data** by user ID, and writes one record per user to ...  
[www.ucgbook.com/unix%20commands%20list.html](http://www.ucgbook.com/unix%20commands%20list.html) - 513k - [Cached](#) - [Similar pages](#)

### RIT Computer Science Masters Theses and Projects - 1998



Figure 2 is the **data** flow for successfully establishing point-to-point connections between **source** and **destination**. Figure 3 shows point-to-point call ...  
[www.cs.rit.edu/~pga/ProjThes/abs\\_98.html](http://www.cs.rit.edu/~pga/ProjThes/abs_98.html) - 94k - [Cached](#) - [Similar pages](#)



### Chapter 15 Articles & Notes (3)

The other **program** documents the internal region **data format** by providing the ...  
int x,y; /\* **Location** on **destination** bitmap in integral coordinates \*/ long ...  
mxmora.best.vwh.net/umpg/Articles3.html - 41k - [Cached](#) - [Similar pages](#)

### Google Groups results for **convert data format skeleton program location volume disk size source destination**

 [v26i004: arc 5.21 \(pl 8\) - file archive/compression tool ...](#) - comp.sources.unix - Apr 11, 1992  
 [Glossary of 3D Terms](#) - CG India - Dec 09, 2005

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google